

1 This listing of claims will replace all prior versions, and listings, of claims
2 in the application.

3
4 **Listing of Claims:**

5
6 Claim 1 (Previously presented): A computer-implemented method
7 comprising:

8 sending a request for network account credentials from an originating
9 account associated with an unpublished object at a dispatch associated with a
10 published object, the request directed to the published object associated with the
11 dispatch includes identification of the unpublished object associated with the
12 originating account;

13 authenticating the originating account at the dispatch; and,

14 upon authenticating the originating account, sending an emblem for a
15 network account to the originating account, the emblem sent to the unpublished
16 object associated with the originating account and having the identification as
17 included with the request.

18
19 Claim 2 (Original): The method of claim 1, wherein the request is
20 unencrypted, and the emblem is encrypted.

21
22 Claim 3 (Original): The method of claim 1, wherein each of the published
23 object and the unpublished object comprises a message queue.
24
25

1 Claim 4 (Original): The method of claim 1, wherein each of the published
2 object and the unpublished object comprises a file.

3
4 Claim 5 (Original): The method of claim 1, wherein the emblem comprises
5 a token.

6
7 Claim 6 (Original): The method of claim 1, wherein the network account
8 for which the emblem is sent from the dispatch to the originating account
9 comprises a batch account of the dispatch.

10
11 Claim 7 (Previously presented): The method of claim 1, wherein sending
12 an emblem for the network account to the originating account comprises remoting
13 a batch account to the originating account, such that the emblem comprises an
14 emblem for the batch account.

15
16 Claim 8 (Original): The method of claim 1, wherein the network account
17 for which the emblem is sent from the dispatch to the originating account
18 comprises an agent account of an agent.

19
20 Claim 9 (Previously presented): The method of claim 1, wherein sending
21 an emblem for the network account to the originating account comprises:

22 proxy logging on to the agent; and,
23 remoting an agent account to the originating account upon proxy log on to
24 the agent, such that the emblem comprises an emblem for the agent account.

1 Claim 10 (Original): The method of claim 1, wherein the emblem is
2 expirable, such that the method further comprises determining whether the emblem
3 is about to expire, and upon so determining, renewing the emblem with a renewing
4 authority.

5
6 Claim 11 (Withdrawn): A computer-implemented method comprising:
7 receiving an unencrypted request for network account credentials from an
8 originating account to a dispatch;
9 authenticating the originating account at the dispatch;
10 upon authenticating the originating account,
11 proxy logging on to an agent account; and,
12 transmitting an emblem including network account credentials for
13 one of the agent account and a batch account back to the originating
14 account to satisfy the request for network account credentials sent from the
15 originating account.

16
17 Claim 12 (Withdrawn): The method of claim 11, wherein the originating
18 account has associated therewith an unpublished object, the unpublished object
19 identified within the request from the originating account for credentials of a
20 network account, and designed to receive the agent account emblem satisfying the
21 request.

1 Claim 13 (Withdrawn): The method of claim 12, wherein the
2 unpublished object comprises one of: a file, and a message queue.

3
4 Claim 14 (Withdrawn): The method of claim 11, wherein a published
5 object is associated with the dispatch, the published object designed to receive the
6 request for the network account credentials.

7
8 Claim 15 (Withdrawn): The method of claim 14, wherein the published
9 object comprises one of: a file, and a message queue.

10
11 Claim 16 (Withdrawn): The method of claim 11, wherein the emblem is
12 expirable, such that when the emblem is about to expire, the emblem is renewed
13 with a renewing authority.

14
15 Claim 17 (Withdrawn): A computerized system comprising:
16 a plurality of network accounts, each account capable of being proxy logged
17 onto and of being remoted to another account; and,
18 a dispatch designed to field requests for network account credentials from
19 the plurality of accounts, and to satisfy each request for network account
20 credentials from an originating account by proxy logging onto an account capable
21 of being proxy logged onto such that credentials for the account are remoted back
22 to the originating account as the network account credentials requested.

1 Claim 18 (Withdrawn): The system of claim 17, wherein the dispatch is
2 further designed to satisfy a request for network account credentials from an
3 originating account by returning an emblem including network account credentials
4 for a batch account of the dispatch as the network account credentials requested.
5

6 Claim 19 (Withdrawn): The system of claim 17, wherein the dispatch is
7 further designed to satisfy a request for network account credentials from an
8 originating account only upon first 15 authenticating the originating account.
9

10 Claim 20 (Withdrawn): The system of claim 17, wherein a published
11 object is associated with the dispatch, the published object designed to receive the
12 requests for network account credentials.
13

14 Claim 21 (Withdrawn): The system of claim 20, wherein the published
15 object comprises one of: a file, and a message queue.
16
17
18
19
20
21
22
23
24
25